



Safety Data Sheet

Issue Date: 24-Oct-2018

Revision Date: 29-Oct-2018

Version 1

1. IDENTIFICATION

Product identifier

Product Name AirTool AT-10™

Other means of identification

SDS # MP-011.1

Recommended use of the chemical and restrictions on use

Recommended Use Piston-and rotary-type air tool lubricant.

Details of the supplier of the safety data sheet

Supplier Address

Muscle Products Corp
752 Kilgore Road
Jackson Center, PA 16133
www.musclelubricants.com

Emergency telephone number

Company Phone Number 1-814-786-0166
Emergency Telephone INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Red liquid

Physical state Liquid

Odor Mild petroleum, hint of cinnamon

Classification

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Aspiration toxicity	Category 1

Signal Word

Danger

Hazard statements

Harmful if inhaled
May be fatal if swallowed and enters airways



Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

IF INHALED: Remove person to fresh air and keep comfortable for breathing
 Call a poison center or doctor/physician if you feel unwell
 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
 Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Petroleum distillates, hydrotreated light naphthenic	64742-53-6	70-80
Severely Hydrotreated Heavy Naphthenic Petroleum Oil	64742-52-5	0.9-1.5
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	0.6-0.9
Phenol, 2,6-Bis(1,1-Dimethyl)-	128-39-2	0.2-0.4
Petroleum distillates, solvent dewaxed heavy paraffinic	64742-65-0	0.1-0.25

**If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret. **

4. FIRST AID MEASURES

Description of first aid measures

Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes.
Inhalation	Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.
Ingestion	Immediately call a poison center or doctor/physician. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Symptoms	May be harmful in contact with skin. Harmful if inhaled. May be fatal if swallowed and enters airways.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Not determined.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures****Personal Precautions** Use personal protective equipment as required.**Environmental precautions****Environmental precautions** See Section 12 for additional Ecological Information.**Methods and material for containment and cleaning up****Methods for Containment** Prevent further leakage or spillage if safe to do so.**Methods for Clean-Up** Keep in suitable, closed containers for disposal.**7. HANDLING AND STORAGE****Precautions for safe handling****Advice on Safe Handling** Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.**Conditions for safe storage, including any incompatibilities****Storage Conditions** Store locked up. Storage temperature should not exceed + 40°C (104°F) to maintain best product performance. 2-year shelf life.**Incompatible Materials** None known based on information supplied.**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Severely Hydrotreated Heavy Naphthenic Petroleum Oil 64742-52-5	TWA: 5 mg/m ³ (oil mist) STEL: 10 mg/m ³ (oil mist)	TWA: 5mg/m ³ (oil mist) STEL: none estab.	TWA: none estab. STEL: none estab.

Appropriate engineering controls**Engineering Controls** Apply technical measures to comply with the occupational exposure limits.**Individual protection measures, such as personal protective equipment****Eye/Face Protection** Refer to 29 CFR 1910.133 for eye and face protection regulations.**Skin and Body Protection** Refer to 29 CFR 1910.138 for appropriate skin and body protection.**Respiratory Protection** Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid	Odor	Mild petroleum, hint of cinnamon
Appearance	Red liquid	Odor Threshold	Not determined
Color	Red		
<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>	
pH	Not determined		
Melting point / freezing point	-39 °C / -38.2 °F	POUR POINT Method: ASTM D5950	
Boiling point / boiling range	209.4 °C / 409 °F	Method: ASTM D1120	
Flash point	138 °C / 282 °F	Method: ASTM D93	
Evaporation Rate	Not determined		
Flammability (Solid, Gas)	Liquid-Not applicable		
Flammability Limit in Air			
Upper flammability or explosive limits	Not determined		
Lower flammability or explosive limits	Not determined		
Vapor Pressure	<0.810 PSI	Method: ASTM D5191	
Vapor Density	Not determined		
Relative Density	0.95584 g/cm3	@ 15°C (59°F) ASTM D4052	
Water Solubility	Insoluble in water		
Solubility in other solvents	Not determined		
Partition Coefficient	Not determined		
Autoignition temperature	Not determined		
Decomposition temperature	Not determined		
Kinematic viscosity	26.412 cSt @ 40°C(104°F) 4.4524 cSt @ 100°C (212°F)		
Dynamic Viscosity	Not determined		
Explosive Properties	Not determined		
Oxidizing Properties	Not determined		

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Petroleum products tend to soften or swell most natural rubbers.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact	Avoid contact with eyes.
Skin Contact	May be harmful in contact with skin.
Inhalation	Harmful if inhaled.
Ingestion	Do not ingest.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum distillates, hydrotreated light naphthenic 64742-53-6	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 2180 mg/m ³ (Rat) 4 h
Severely Hydrotreated Heavy Naphthenic Petroleum Oil 64742-52-5	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	> 15 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Calcium salts 68783-96-0	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 1.9 mg/L (Rat) 4 h
Phenol, 2,6-Bis(1,1-Dimethyl)- 128-39-2	> 5000 mg/kg (Rat)	> 10 g/kg (Rabbit)	-
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	> 15000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 2400 mg/m ³ (Rat) 4 h
Trade Secret	= 40 g/kg (Rat)	> 20 mL/kg (Rabbit)	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	Please see section 4 of this SDS for symptoms.
-----------------	--

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity	This product contains mineral oils which are considered to be severely refined and not carcinogenic under IARC. All of the oils in this product contain less than 3% extractables by IP 346.
------------------------	--

Chemical name	ACGIH	IARC	NTP	OSHA
Petroleum distillates, hydrotreated light naphthenic 64742-53-6	A2	Group 1	Known	X
Severely Hydrotreated Heavy Naphthenic Petroleum Oil 64742-52-5	A2	Group 1	Known	X
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7	A2	Group 1	Known	X
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0	A2	Group 1	Known	X

Legend*ACGIH (American Conference of Governmental Industrial Hygienists)**A2 - Suspected Human Carcinogen**IARC (International Agency for Research on Cancer)**Group 1 - Carcinogenic to Humans**NTP (National Toxicology Program)**Known - Known Carcinogen**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**X - Present***Aspiration hazard**

May be fatal if swallowed and enters airways.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document.

Oral LD50 5,209.60 mg/kg**Dermal LD50** 2,083.83 mg/kg**ATEmix (inhalation-dust/mist)** 2.27 mg/L**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Harmful to aquatic life with long lasting effects.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Petroleum distillates, hydrotreated light naphthenic 64742-53-6		5000: 96 h Oncorhynchus mykiss mg/L LC50	1000: 48 h Daphnia magna mg/L EC50
Severely Hydrotreated Heavy Naphthenic Petroleum Oil 64742-52-5		5000: 96 h Oncorhynchus mykiss mg/L LC50	1000: 48 h Daphnia magna mg/L EC50
Petroleum distillates, hydrotreated heavy paraffinic 64742-54-7		5000: 96 h Oncorhynchus mykiss mg/L LC50	1000: 48 h Daphnia magna mg/L EC50
Calcium salts 68783-96-0	1000: 96 h Pseudokirchneriella subcapitata mg/L EC50	40: 96 h Pimephales promelas mg/L LC50	1000: 48 h Daphnia magna mg/L EC50
Phenol, 2,6-Bis(1,1-Dimethyl)- 128-39-2			0.45: 48 h Daphnia magna mg/L EC50
Petroleum distillates, solvent dewaxed heavy paraffinic 64742-65-0		5000: 96 h Oncorhynchus mykiss mg/L LC50	1000: 48 h Daphnia magna mg/L EC50
Trade Secret	8: 72 h Desmodesmus subspicatus mg/L EC50	900: 48 h Leuciscus idus mg/L LC50	100: 24 h Daphnia magna mg/L EC50

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical name	California Hazardous Waste Status
Zinc alkyl dithiophosphate 113706-15-3	Toxic

14. TRANSPORT INFORMATION

<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
<u>DOT</u>	Not regulated
<u>IATA</u>	Not regulated
<u>IMDG</u>	Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Petroleum distillates, hydrotreated light naphthenic	X	X	X		X	X	X	X
Severely Hydrotreated Heavy Naphthenic Petroleum Oil	X	X	X		X	X	X	X
Petroleum distillates, hydrotreated heavy paraffinic	X	X	X	X	X	X	X	X
Calcium salts	X	X	X	X	X	X	X	X
Zinc alkyl dithiophosphate	X	X		X	X			X
Phenol, 2,6-Bis(1,1-Dimethyl)-	X	X	X	X	X	X	X	X
Petroleum distillates, solvent dewaxed heavy paraffinic	X	X	X		X	X	X	X
Trade Secret	X	X	X		X	X	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc alkyl dithiophosphate		X		

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Petroleum distillates, hydrotreated light naphthenic 64742-53-6		X	
Zinc alkyl dithiophosphate 113706-15-3	X		X

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards	Flammability	Instability	Special Hazards
	2	1	0	None
<u>HMIS</u>	Health Hazards	Flammability	Physical hazards	Personal Protection
	2	1	0	Not determined (should be determined by employer)

Issue Date: 24-Oct-2018
Revision Date: 29-Oct-2018
Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet